Secret





25X1

WNINTEL

basic imagery interpretation report

Major Indian Space and Missile-Related Facilities (S)

MISSILE RANGES: STRATEGIC SSM/SPACE FACILITIES BE: Various INDIA



Secret Z-14092/84 RCA-15/0001/84 DECEMBER 1984 Copy 4 7



	_	SECRET				
						25X1
INSTALLATION OR AC	CTIVITY NAME				COUNTRY	
Major Indian Sp	ace and Missile-Related Fa	cilities			IN	
UTM COORDINATES	GEOGRAPHIC COORDINATES	CATEGORY	BE NO.	COMIREX NO.	NIETB NO.	
NA	See Table 1	See Table 1	See Table 1	See Table 1	See Table 1	
MAP REFERENCE						
Various sheets						
LATEST IMAGERY US	ED	NEGA	TION DATE (if requir	ed)	···	
		NA				25X1
		ABSTRAC [*]	Т			
Program. The re related to SLV r have the capabil mation acquired	ort presents an overview port discusses the various esearch, development, prity to support a strategic bethrough otographs. (S/WN)	space launch vooduction, testin oduction, testin oallistic missile p	ehicles (SLVs) and operatoriogram. This i	and describes tl tional launchin report, which ir	he major facilities g. These facilities	25X1
	I	NTRODUCT	ION			
the early 1960s in to establish an in use of outer space India, was chose UN project help this sounding roo produced satelli placing much he	an Space Program, which in support of a United Natinternational equatorial souce. India's bid to be the homas the site for the launched India establish its own cket program and slowly extes that were launched weavier payloads into orbit for these new SLVs were all	ons (UN)-spons unding rocket last country was a facility. The sounding rock volved through are in the ac	ored sounding aunch facility is approved and technology gained program. A the 1970s. Indicute SLV. Currilvanced stages	g rocket project for the peacefu Thumba, near th ined through co in SLV program a has successful ently two new is of developme	The UN wanted I exploration and ne southern tip of coperation in the developed from ly developed and SLVs, capable of	
Indian military in military applicati indicates that In	nistry of Defense is respor nvolvement in a missile p ion of the SLV technolog dia has initiated research of producing strategic bal	rogram was wi y has been see into modifying	th small tactica en on imagery	al missiles. Alth , an Indian go	ough no specific vernment source	25X1
Facilities						
4. The majare in central an Bangalore, while engineering for the Bangalore, Ahme has facilities for I facilities involvec Sri Harikota, Ital conducted at Hyelectronic comp	or facilities related to resent southern India (Figure research and development of SLVs aredabad, and Thumba. The aunching and tracking SLV din R&D and manufacture risi, Kirkee, Pune, Bhandar derabad, Thumba, and Sronents are carried out at ne at Thumba and Sri Halrikota. (S/WN)	1 and Table 1). nt (R&D) of mil nd satellites and largest space of s and for manu of solid propel a, and Hyderal i Harikota. The Hyderabad an	The headquar litary missiles i d their scientifi center in India afacturing and lants for rocke bad. The R&D R&D and pro and Thumba. SI	ters for the spa s centered in H c applications is is on Sri Harik testing rocket n t motors are at of liquid prop duction of miss V systems inte	ace program is in dyderabad. Major s accomplished at ota Island, which notors. The major Alwaye, Thumba, pellant engines is sile guidance and gration and final	
The Status of t	the Space Program					
5. The obje	ectives of the Indian Space lational telecommunicatio					

25X1

- 1 -SECRET

sensing applications.² India's first attempt to launch an SLV, the SLV-3, ended in failure on 10 August 1979. A successful launch was achieved on their second attempt on 18 July 1980. Two subsequent SLV-3 launches were successful, one in 1981 and one in 1983. Although the last three space launches were successful, complications unrelated to the SLV later arose with the satellites resulting in only limited success. India has also had three of its satellites launched by the Soviet Union and one each by the United States and the European Space Agency. The success of these five satellites, launched between 1975 and

1982, has also been limited.4 (U)

25X1

Table 1. Major Indian Space and Missile-related Facilities (S)

Installation Name	Geographic Coordinates	Category	BE Number	COMIREX No	NIETB (MRN) No
Bangalore Space Missile Research Organization	13-00-45N 077-34-30E				
Hyderabad Missile Research and Development Facility DRDL	17-19-30N 078-30-00E				
Ahmedabad Space Applications Center	23-01-30N 072-31-00E				
Thumba Missile and Rocket Test Site VSSC	08-32-05N 076-52-03E				
Sri Harikota Space Center	13-43-20N 080-12-25E				
Alwaye Solid Propellant and Test Facility APEPE	10-05-30N 076-22-50E				
Sri Harikota Propellant Plant SPROB	13-47-30N 080-12-17E				
Itarsi Solid Propellant Production Complex	22-35-16N 077-53-00E				
Kirkee Ordnance Research and Development Facility ARDE	18-31-58N 073-48-17E				
Pune Explosives Research and Development Laboratory	18-31-32N 073-45-01E				
Bhandara Solid Propellant Production Facility	21-06-00N 079-34-00E				
Hyderabad Possible Bharat Dynamics LTD	17-19-40N 078-30-25E				
Sri Harikota Rocket Motor Test Facility	13-47-10N 080-12-20E				
Sri Harikota Space Launch Facility	13-39-54N 080-13-35E				
Sri Harikota Space Launch Facility North	13-43-15N 080-14-47E				
Ahmedabad Physical Research Laboratory	23-01-25N 072-33-50E				

This table is SECRET/WNINTEL.

Launch Vehicle Characteristics

6. The SLV-3 is a relatively small, four-stage, solid-propellant SLV capable of launching a 45-kg payload into low earth orbit. Two additional SLV programs, the Augmented SLV (ASLV) and the Polar SLV (PSLV), which have been in the R&D phase since the late 1970s, will significantly upgrade India's capability to launch heavier, more sophisticated satellites (Figure 2). The ASLV will essentially be in the same configuration as the SLV-3; however, it will have two solid-propellant, strap-on boosters. The strap-on boosters were derived from the first stage of the SLV-3. The PSLV will be configured in four stages and have six solid-propellant, strap-on boosters. The first and third stages will be solid motors and the second and fourth stages will be liquid engines. The second-stage engine is based on French technology that is used in the Ariane SLV. The six strap-on boosters for the PSLV are the same type as those used for the ASLV.² Indian press releases indicate that the first launch of an ASLV will be in 1985 and that the first launch of a PSLV is scheduled for 1988. (S/WN)







FIGURE 1. LOCATIONS OF MAJOR INDIAN SPACE AND MISSILE-RELATED FACILITIES

BASIC DESCRIPTION

Research and Development

- 7. Within the Department of Space, the Indian Space Research Organization (ISRO) has the responsibility for the overall management of the space program. The ISRO provides the overall guidance and direction in the fields of space science, technology, and applications for the space program. The ISRO headquarters is at Bangalore Space Missile Research Organization in southern India, about 5 nm northwest of the center of Bangalore (Figure 3). The manufacture of satellites and testing of antennas and other satellite components are carried out at this facility. The facility consists of six double-bay fabrication buildings, five shop buildings, one probable antenna test facility, two probable environmental test buildings, and several associated support buildings. (S/WN)
- 8. Major research for various scientific applications of the space program is conducted at the Ahmedabad Physical Research Laboratory (Figure 4). The facility contains at least 30 laboratory buildings, one probable fabrication/assembly building, numerous support buildings, and over 200 multiunit quarters. (S/WN)
- 9. Ahmedabad Space Applications Center (Figure 5), 1 nm southwest of the Physical Research Laboratory, is responsible for R&D of satellite and electronics systems and components for the space program. The center consists of a satellite communications earth station, a civil engineering area, an electronics systems area, a fabrication/assembly area, and a housing area. (S/WN)




	SLV-3	ASLV	PSLV
Approx Payload Weight in Low Earth Orbit (kg)	45	150	1,000
No of Stages	4	4	4
No of Strap-on Boosters	0	2	6
Propellant	Solid	Solid	Solid & Liquid
Overall Size in Meters			
First Launch	1979	(1985)	(1988)

25X1

FIGURE 2. SIZES AND CHARACTERISTICS OF INDIAN SLVs

- 4 -SECRET

WNINTEL Z-14092/84



Sanitized Copy Approv	ved for Release 2010/07/19 : CIA-RDP85T00060R000300800001-3	
10. The major Ministry of Defense R&D Center for Military Missile Programs is Hyderabad Missile Research and Development Facility DRDL (Defense Research and Development Laboratory; Figure 6). The DRDL has facilities for missile fabrication and for R&D and testing of solid (composite and double-base) and fliquid propellants. It includes a hypersonic ballistic wind tunnel (Figure 7) and the largest liquid engine test stand in India (Figure 8). The DRDL consists of an administration/engineering and abrication area, a probable fabrication area, a rocket motor propulsion R&D and static test area, and a propellant R&D and production area. (5/WN)		25X1
11. The R&D and production of missile guidance systems and electronic components for the military are conducted at Hyderabad Possible Bharat Dynamics Limited (Figure 6). The plant, which also produces antitank guided missiles, consists of an assembly plant area, an administration/fabrication area, a storage area, and an explosives storage area. (S/WN)		25X1
RCA-15/0001/84	. 9 . SECRET	

Sanitized Copy Approved for Release 2010/07/19 : CIA-RDP85T00060R000300800001-3

WNINTEL Z-14092/84 Sanitized Copy Approved for Release 2010/07/19 : CIA-RDP85T00060R000300800001-3 SECRET

SECRET

25X1

25X1

Propellant Production

- 12. Sri Harikota Propellant Plant SPROB (solid-propellant space booster plant) is responsible for production and nondestructive testing of solid motors for SLVs that use composite propellants (Figure 9). It appears to be capable of producing motors much larger than those at India's other solid-propellant production facilities. The plant at the northwest end of Sri Harikota Island, just off the southeast coast of India, about 45 nm north of Madras, consists of an administration area, a production area, a test area, and a support area. The production area has facilities for ingredients preparation, mixing, casting and curing, and finishing. The production area has recently been expanded, probably to accommodate production of the larger PSLV booster. (S/WN)
- 13. Alwaye Solid Propellant and Test Facility APEPE (ammonium perchlorate experimental plant) produces the ammonium perchlorate that is used as an oxidizer in the composite propellants in the SLV motors (Figure 10). This small pilot production plant consists of one large, multisection production building; one probable engineering/test building; two administration buildings; three support buildings; one cooling pond; one water treatment facility; and two probable acid storage tanks. (S/WN)
- 14. Bhandara Solid Propellant Production Facility (Figure 11) produces double-base solid propellants for India's military missiles. The facility consists of a double-base solid-propellant production area (with nitrocellulose and nitroglycerin production), a solid motor production and storage area, an explosives storage area, a rocket motor test area, and an administration/engineering area. (S/WN)
- 15. Itarsi Solid Propellant Production Complex (Figure 12) is nearly complete and will be capable of producing single-base solid propellants for artillery and missiles. This plant consists of a solid-propellant production area (with nitrocellulose production), an explosives storage area, a shipping and receiving area, an administration area, and a housing area (not on figure). (S/WN)
- 16. Pune Explosives R&D Laboratory (Figure 13) conducts R&D of high explosives, propellants, and pyrotechnics for the military. The laboratory consists of a propellant production area, a test area, a storage area, and an administration/engineering area. (S/WN)
- 17. Kirkee Ordnance R&D Facility ARDE (armaments, research, and development establishment; Figure 14) also conducts the R&D and testing of armaments, explosives, and guided missiles for the military. This facility, 1 me ast of the Pune Laboratory, consists of an administration area, a design/engineering area, a test area, and a support area. (S/WN)
- neering area, a test area, and a support area. (s/wn)

 18. Sri Harikota Rocket Motor Test Facility, on the northern end of Sri Harikota Island, conducts development and testing of rocket motors for the space program. The plant consists of a rocket motor test area (Figure 15) and a nondestructive test area (Figure 16). Facilities in the rocket motor test area include two revetted horizontal static test positions, one revetted drop test position, one vibration test building, one small liquid engine test stand, and one acceleration test position. Both horizontal test positions have high- and low-capacity test cells. In addition, just north of the horizontal test positions have high- and low-capacity test cells. In addition, just north of the early 1981. This construction is probable vertical assembly/test building has been under construction since early 1981. This construction is probable reviral assembly/test buildings, so high-altitude test building, and one probable maintenance/checkout building. (S/WN)
- maintenance/checkout building. (S/WN)

 19. The Vikram Sarabhai Space Center (VSSC) at Thumba Missile and Rocket Test Site VSSC on India's southwest coast is India's primary space research center (Figure 17). The Thumba complex consists of the Space Science and Technology Center, a rocket fabrication area, a rocket propellant production area, a rocket fuel area, an SLV R&D/test area, a state test area, a rocket launch area, a tracking/telemetry area, a test and evaluation area, an administration and housing area, and a probable associated area. Thumba is involved in all Indian SLV programs, including production and testing of solid-propellant rocket fuel, and R&D of liquid engine fuel. SLV-3 mockup components have been observed at a probable environmental/structural test building in the SLV R&D/test area (Figure 18). PSLV mockup components were identified at Thumba for the first time in early 1984 (Figure 19). The zero gravity of outer space is simulated at the zero gravity simulation tower in the SLV R&D/test area (Figure 20), (S/WN)

Space Launch Facilities


20. Sri Harikota Space Center (Figure 21) is India's principal launch facility for SLVs and sounding rockets. The center includes Sri Harikota Space Launch Facility. Sri Harikota Space Launch Facility North, Sri Harikota Propellant Plant SPROB, Sri Harikota Rocket Motor Test Facility, Sulurpet Ground Telemetry Satellite Tracking Station | Sri Harikota Island Tracking Facility | Sri Harikota Domestic Satellite and Satellite Tracking Station | Sri Harikota Sounding Rocket Launch Facility | Sri Harikota Complex Control Centre | and a housing and support area. (S/WN)

21. The Space Launch Facility, on the south side of Sri Harikota Island, consists of a launch area, a launch support area, and a rocket motor storage area. The launch area includes one launch pad for the SIV-3, one small launch pad for sounding rockets, one launch control bunker, and one two-bay horizontal rocket assembly/checkout building (Figure 22). Construction began in early 1983 on a third launch pad that will probably support the ASLV program. The Indian press reported that the new pad will be completed during 1985. (S/WN)

RCA-15/0001/84

- 10 -SECRET

WNINTEL Z-14092/84






FIGURE 21. LOCATIONS OF FACILITIES AT SRI HARIKOTA SPACE CENTER



SECRET

25X1

25X1

SECRET

	25 X 1
REFERENCES	
IMAGERY	
All applicable satellite imagery acquired through was used in the preparation of this report. (S/WN)	25X1
MAPS OR CHARTS	
DMA. Joint Operations Graphic (Ground). Series 1501G. Sheets NI 43-11, 12, 15, 16; NI 44-13; NH 43-3, 4, 6-16; NH 44-1, 5-7, 9, 10, 13-15; NG 42-3, 4, 7, 8, 12, 15, 16; NG 43-1-16; NG 44-1-16; NG 45-3-11, 13-15; NF 42-2-4, 6-8, 11, 12; NF 43-1-16; NF 44-1-16; NF 45-1-14, NE 43-1-16; NE 44-1-15; NE 45-1,5; ND 43-2-4, 6-8, 10-12, 15, 16; ND 44-1, 2, 5, 6, 9, 10, 13, 14; NC 43-3, 4, 7, 8, 11, 12, 16; NC 44-1, 2, 5, 6, 9, 13. Scale 1:250,000 (UNCLASSIFIED)	
DOCUMENTS	
1. CIA/NFAC. SW 80-10045J, India—Space Missile Programs (U), Jul 80 (TOP SECRET	25X1 25X1
2. Government of India, Department of Space. Annual Reports, 1979-84 (UNCLASSIFIED)	23/1
3. CIA Reporting.	
4. DIAIAPPR 45-83, <i>India—Space Program (U)</i> , 6 May 1983 (SECRET tion is UNCLASSIFIED) (Extracted information is UNCLASSIFIED)	25X1
RELATED DOCUMENTS	
NPIC RCA-09/0020/79, Hyderabad Missile Research and Development Facility DRDL (S), Aug 79 (TOP SECRET	25X1 25X1
NPICRCA-15/0002/79, Sri Harikota Complex (S), Jun 79 (TOP SECRET	25X1
CIA/NESA_NESA_83-10338_India Arms Production and Prospects (U), Dec 83 (SECRET)	25X1 25 X 1
DIA, DIAIAPPR 45-83, India—Space Program (U), 6 May 83 (SECRET)	25X1 25X1
CIA/NFAC. SW 80-10045L India—Space and Missile Programs (U), Jul 80 (TOP SECRET	25X1 25X1
in the state of th	25 X 1
Government of India, Department of Space. 1983-84 Annual Report, 1984 (UNCLASSIFIED) Government of India, Department of Space. 1982-83 Annual Report, 1983 (UNCLASSIFIED) Government of India, Department of Space. 1981-82 Annual Report, 1982 (UNCLASSIFIED) Government of India, Department of Space. 1980-81 Annual Report, 1981 (UNCLASSIFIED) Government of India, Department of Space. 1979-80 Annual Report, 1980 (UNCLASSIFIED) Government of India, Department of Space. 1978-79 Annual Report, 1979 (UNCLASSIFIED)	
REQUIREMENT	
COMIREX P02 Project 544055P Distribution 86-008	
Comments and queries regarding this report are welcome. They may be directed to Science and Technology Branch, Africa/Americas Division, Imagery Exploitation Group, NPIC	25X1 25X1

Secret